


FIG. 2






FIG. 4




FIG. 5




FIG. 6

IP ADDRESS	MAC ADDRESS
192.168.10.13	008500123456
192.168.0.1	008500123480
192.168.0.2	008500123479

FIG. 7

DEVICE MANAGEMENT PC	ID	A000123456Z	701
NUMBER OF DEVICES		03	
PRODUCT NAME		Product XX	
IP ADDRESS		192.168.0.12	702
MAC ADDRESS		008500123456	703
DEVICE ID		DEV00003	
...			
PRODUCT NAME		Product AA	
IP ADDRESS		192.168.0.1	704
MAC ADDRESS		008500123478	705
DEVICE ID		DEV00004	
...			
PRODUCT NAME		Product AA	
IP ADDRESS		192.168.0.2	
MAC ADDRESS		008500123479	
DEVICE ID		DEV00005	
...			

FIG. 8






FIG. 9




FIG. 10

1001	1002	1003	
TYPE OF NOTIFICATION INFORMATION	DEVICE-IDENTIFICATION-INFORMATION CHANGE NOTIFICATION	CHANGE INFORMATION	1004
DEVICE MONITORING COMPUTER ID	A000123456Z		1005
DEVICE ID	DEV000003		1006
IP ADDRESS	192.168.0.67	CHANGED	1007
MAC ADDRESS	008500123456	UNCHANGED	1008

FIG. 11

FILE (F) EDIT (E) VIEW (V) MAIL (M) TOOL (T) HELP (H)	
<div>Sender: Remote Monitoring Computer &lt;remote-monitor@YY.ZZZ&gt; To: &lt;service-personnel@YY.ZZZ&gt; Subject: Device Identification Information - Abnormality Notification !</div>	
<div>Message</div> <div>An abnormal IP address in the device identification information regarding the following device of client XXX has been detected. Please address the problem immediately.</div> <div>Detected Information</div> <div>Device Management PC ID A000123456Z</div> <div>Product XX</div> <div>Device ID DEV00003</div> <div>IP Address : 192.168.0.12 → <u>192.168.0.67</u></div> <div>MAC Address : 008500123456 → 008500123456</div>	
<div>1: BODY / 0: HEADER</div> <div>UNREAD: 0 / TOTAL: 483</div>	

